

			C85H	С85КН	C85Y	C85K
ENGINE			<u> </u>	·		
Air-cooled single cylinder	Honda Gx 390	Petrol 11,7 hp	1	_	_	_
Air-cooled single cylinder	Kohler CH 440	Petrol 14 hp	_	1	_	_
Air-cooled single cylinder	Yanmar LN 100 AE	Diesel 8,7 hp	_	_	1	_
Liquid-cooled twin cylinder	Kubota Z 482	Diesel 13,1 hp	_	_	_	1
TRANSMISSION	'					-
Туре	Hydrostatic		1	1	1	1
Hydraulic pump	Two full closed hydrostatic transmission		1	1	1	1
TRACKS						
Crawler width	180 mm (7.1 in)		1	/	1	1
Rocking rollers	Yes		1	1	1	1
HYDRAULIC SYSTEM						
Hydraulic pump	Gear pump		1	1	1	1
Flow Std	1x14,1 l/min (1x3.7 gpm)		1	1	-	1
	1x12,6 l/min (1x3.3 gpm)		_	_	1	_
Hi-Flow	1x22,4 l/min (1x5.9 gpm) 1x19,9 l/min (1x5,3 gpm)		.	J		1
Max pressure	150 bar (2180 psi)		1	'	1	1
PERFORMANCE AND DIMENSIONS				<u>:</u>		
Max. travel speed	6 Kmh (3.7 mph)		1	/		/
	5 Kmh (3.1 mph)			_	✓	_
Operative capacity	800 kg (1762 LB)		1	1	✓	1
Vessel contents	da 0.28 m³ a 0.53 m³ (from 0.37 to 0.69 yd³)			/	/	1
Parking brake	Yes				1	1